

# CHECK IT OUT!



Wöhler RL 200
Refrigerant Leak Detector

As accurate as you!



Made in Germany

## >> Technical **Data**

Sensitivity (R134a)

3 g/a

Response time (R134a)

<1s

#### **■** Detectable refrigerants

| FCKW:   | R11, R12, R500, R503                                     |
|---------|----------------------------------------------------------|
| HFCKW:  | R22, R123, R124, R502                                    |
| HFKW:   | R134a, R404a, R410a, R407C, R32                          |
| Others: | R290, R600a, R1234YF, Forming Gas (95% $N_2 + 5\% H_2$ ) |

#### Sensor

| Zeroing:      | Automatic or manual    |
|---------------|------------------------|
| Service life: | ≥ year (in normal use) |

#### Power supply

3 AA cells (alkaline)

### **Basic Set**

#### **Delivery contents**

Wöhler RL 200 Refrigerant Leak Detector

Gooseneck 17.3"

**Batteries** 


Plastic case

Item no.

• = included







Precise detection of all common refrigerants.

# **Advantages**

- Precise and reliable detection of the smallest leaks due to high sensitivity (3 g/a)
- ▶ Meets the requirements of the F-Gas Regulation and DIN EN 14624:2012
- ▶ Easy to use due to digital display and automatic zero value setting



Scan the QR code and learn more!

### WÖHLER