

# HOLE MAKING

Fast, Superior Cutting



**KLEIN  
TOOLS**



For Professionals... Since 1857™

Find Quality Products Online at:

[www.GlobalTestSupply.com](http://www.GlobalTestSupply.com)

[sales@GlobalTestSupply.com](mailto:sales@GlobalTestSupply.com)

# HOLE SAWS

## Bi-Metal Hole Saws

Optimized for fast cutting of steel – even stainless!

- Cuts precise holes in stainless steel and mild steel, drywall, ceiling tile, laminates, wood and plastic
- Thick back plates and walls stand up to heavy use and abuse
- Long-lasting, consistent cutting performance

Multiple slots provide different leverage points to easily remove material

| Cat. No.                    | UPC#<br>0-92644+ | Saw Diameter                                                                                           | For use with<br>Arbor No.      |
|-----------------------------|------------------|--------------------------------------------------------------------------------------------------------|--------------------------------|
| 31914                       | 31914-3          | 7/8" (22 mm)                                                                                           | 31905                          |
| 31918                       | 31918-1          | 1-1/8" (29 mm)                                                                                         |                                |
| 31922                       | 31922-8          | 1-3/8" (35 mm)                                                                                         | 31905 with adapter<br>or 31906 |
| 31928                       | 31928-0          | 1-3/4" (44 mm)                                                                                         |                                |
| 31932                       | 31932-7          | 2" (51 mm)                                                                                             | 31906                          |
| 31940                       | 31940-2          | 2-1/2" (64 mm)                                                                                         |                                |
| 31944                       | 31944-0          | 2-3/4" (70 mm)                                                                                         |                                |
| 31948                       | 31948-8          | 3" (76 mm)                                                                                             |                                |
| 31958                       | 31958-7          | 3-5/8" (92 mm)                                                                                         |                                |
| 31972                       | 31972-3          | 4-1/2" (114 mm)                                                                                        |                                |
| 31900                       | 31900-6          | 6-3/8" (162 mm)                                                                                        |                                |
| 32905                       | 69113-3          | 3-Piece Kit includes 7/8", 1-1/8" and 1-3/8"<br>(22, 29 and 35 mm) saws, an arbor, spare bit and case. |                                |
| Arbors and Replacement Bits |                  |                                                                                                        |                                |
| 31905                       | 31905-1          | Threaded Arbor with adapter, 3/8" (10 mm)                                                              |                                |
| 31906                       | 31906-8          | Threaded Arbor, 3/8" (10 mm) with Pins                                                                 |                                |
| 31907                       | 31907-5          | Replacement Pilot Bit, 1/4" x 3-1/4"                                                                   |                                |

# STEP BITS

## Double-Fluted Step Drill Bits

Faster drilling than single flute bits!

- Easy-to-read step rings save time when drilling common holes
- Fast-starting, non-walking drill tip
- Thick, extra-long 3/8" hex shank provides a firm, positive grip in the drill and won't spin out



| Cat. No. | UPC# 0-92644+ | Quick Reference | No. of Holes | Increment | Hole Size Range                      |
|----------|---------------|-----------------|--------------|-----------|--------------------------------------|
| KT801    | 59101-3       | #1              | 13           | 1/32"     | 1/8" – 1/2" (3 mm – 13 mm)           |
| KT803    | 59103-7       | #3              | 9            | 1/16"     | 1/4" – 3/4" (6 mm – 19 mm)           |
| KT811    | 59111-2       | #11             | 2            | –         | 7/8" – 1-1/8" (22 mm – 29 mm)        |
| KT814    | 59114-3       | #14             | 12           | 1/16"     | 3/16" – 7/8" (5 mm – 22 mm)          |
| KT815    | 59115-0       | #15             | 3            | –         | 7/8", 1-1/8", 1-3/8" (22, 29, 35 mm) |

# SAW BLADES

## Reciprocating Saw Blades

Smooth, accurate cutting in a long-lasting blade!

- Bi-metal construction gives heat and wear resistance for a long cutting life
- 1/2" (13 mm) universal tang to fit all popular reciprocating saw tools
- Fast and smooth cutting action

| SKU                                                                                                    | UPC 0-92644+ | Blade Length  | TPI   | Blade Width    | Blade Thickness  |
|--------------------------------------------------------------------------------------------------------|--------------|---------------|-------|----------------|------------------|
| <b>Blades for cutting wood, wood composites, and nail embedded wood*</b>                               |              |               |       |                |                  |
| 31751                                                                                                  | 69103-4      | 9" (229 mm)   | 6     | 3/4" (20 mm)   | .05" (1.3 mm)    |
| 31761                                                                                                  | 69107-2      | 12" (305 mm)  | 6     | 3/4" (20 mm)   | .05" (1.3 mm)    |
| 31716                                                                                                  | 64044-5      | 6" (152.4 mm) | 6     | 3/4" (19.1 mm) | 0.050" (1.27 mm) |
| <b>Blades for cutting various materials ranging from wood, plastic, ferrous and non-ferrous metals</b> |              |               |       |                |                  |
| 31731                                                                                                  | 69111-9      | 6" (152 mm)   | 10/14 | 3/4" (20 mm)   | .05" (1.3 mm)    |
| 31741                                                                                                  | 69108-9      | 8" (203 mm)   | 10/14 | 3/4" (20 mm)   | .05" (1.3 mm)    |
| <b>Blades for cutting any machinable metal up to 1/4" (6.4 mm) thick</b>                               |              |               |       |                |                  |
| 31727                                                                                                  | 69104-1      | 6" (152 mm)   | 14    | 3/4" (20 mm)   | .035" (.9 mm)    |
| 31739                                                                                                  | 69106-5      | 8" (203 mm)   | 18    | 3/4" (20 mm)   | .035" (.9 mm)    |
| 31728                                                                                                  | 64009-4      | 6" (152.4 mm) | 18    | 3/4" (19.1 mm) | 0.035" (0.89 mm) |
| 31734                                                                                                  | 64047-6      | 6" (152.4 mm) | 24    | 3/4" (19.1 mm) | 0.035" (0.89 mm) |
| <b>Heavy-duty blade for cutting machinable metal, wood, wood composite, plastic, or rubber</b>         |              |               |       |                |                  |
| 31755                                                                                                  | 69109-6      | 9" (229 mm)   | 14    | 1" (25 mm)     | .042" (1 mm)     |

\* Cutting through nail embedded wood may prematurely wear blade.



# HOLE MAKING

**Klein also makes durable, long-lasting products** for cutting holes in heavy-gauge steel panels and cutting holes in wood for cabling applications!

## Carbide Hole Cutters

| Cat. No. | UPC<br>0-92644+ | Description                                  |
|----------|-----------------|----------------------------------------------|
| 31850    | 31850-4         | 3/4" (19 mm) Carbide Hole Cutter             |
| 31852    | 31852-8         | 7/8" (22 mm) Carbide Hole Cutter             |
| 31856    | 31856-6         | 1-1/8" (29 mm) Carbide Hole Cutter           |
| 31860    | 31860-3         | 1-3/8" (35 mm) Carbide Hole Cutter           |
| 31866    | 31866-5         | 1-3/4" (44 mm) Carbide Hole Cutter           |
| 31868    | 31868-9         | 2" (51 mm) Carbide Hole Cutter               |
| 31870    | 31870-2         | 2-1/2" (64 mm) Carbide Hole Cutter           |
| 31874    | 31874-0         | Replacement Pilot Bit                        |
| 31872    | 31872-6         | 4-Piece Carbide Hole Cutter Set              |
| 31873    | 31873-3         | 8-Piece Master Electrician's Hole Cutter Kit |



## Knockout Punches

| Cat. No. | UPC<br>0-92644+ | Description                        |
|----------|-----------------|------------------------------------|
| 53727SEN | 53745-5         | Knockout Punch Set, 3/4" (19 mm)   |
| 53728SEN | 53746-2         | Knockout Punch Set, 1/2" (12.5 mm) |
| 53732SEN | 53750-9         | Knockout Punch Set with Wrench     |



## Ship-Auger Bits

| Cat. No.                 | UPC<br>0-92644+ | Description                    |
|--------------------------|-----------------|--------------------------------|
| <b>6" (152 mm) Bits</b>  |                 |                                |
| 53402                    | 53402-7         | 3/4" (19 mm) Ship-Auger Bits   |
| 53404                    | 53404-1         | 7/8" (22 mm) Ship-Auger Bits   |
| 53406                    | 53406-5         | 1" (25 mm) Ship-Auger Bits     |
| 53408                    | 53408-9         | 1-1/8" (29 mm) Ship-Auger Bits |
| <b>18" (457 mm) Bits</b> |                 |                                |
| 53437                    | 53437-9         | 3/4" (19 mm) Ship-Auger Bits   |
| 53439                    | 53439-3         | 7/8" (22 mm) Ship-Auger Bits   |
| 53441                    | 53441-6         | 1" (25 mm) Ship-Auger Bits     |
| 53443                    | 53443-0         | 1-1/8" (29 mm) Ship-Auger Bits |



## Flex Drill Bits

| Cat. No. | UPC<br>0-92644+ | Description                   |
|----------|-----------------|-------------------------------|
| 53716    | 53716-5         | 3/8" x 54" (9.5 mm x 1372 mm) |
| 53717    | 53717-2         | 3/8" x 72" (9.5 mm x 1829 mm) |
| 53718    | 53718-9         | 9/16" x 54" (14 mm x 1372 mm) |
| 53719    | 53719-6         | 3/4" x 54" (19 mm x 1372 mm)  |
| 53751    | 53751-6         | 3/4" x 72" (19 mm x 1829 mm)  |
| 53720    | 53720-2         | 1" x 54" (25 mm x 1829 mm)    |



## Flex Bit Kit

| Cat. No. | UPC<br>0-92644+ | Description  |
|----------|-----------------|--------------|
| 53721    | 53721-9         | Flex Bit Kit |



**NOTE:** Read and follow safety instructions in power tool owner's manual.



Find Quality Products Online at:

[www.GlobalTestSupply.com](http://www.GlobalTestSupply.com)

[sales@GlobalTestSupply.com](mailto:sales@GlobalTestSupply.com)