

SAFETY HELMETS

SAFETY • COMFORT • FIT

TYPE 2



**KLEIN
TOOLS** 

Find Quality Products Online at:

www.GlobalTestSupply.com

sales@GlobalTestSupply.com

PROTECTION FROM IMPACT, PENETRATION, AND LATERAL DEFORMATION

TYPE 2



KLEIN SAFETY HELMETS ARE TESTED TO THE LATEST STANDARDS

TYPE 2, **CLASS E**
ELECTRICAL PROTECTION
UP TO 20KV

TYPE 2, **CLASS C**
ADJUSTABLE SIDE VENTS HELP
MANAGE AIR CIRCULATION


① **ANSI/SEA Z89.1-2014**

② **EN12492:2012***:
4.2.1.2, 4.2.1.3, 4.2.1.4,
4.2.2, 4.2.3, 4.2.4

③ **EN397:2012+A1:2012:**
5.2.1, 5.2.4, 5.2.5

*This helmet provides LIMITED protection from small objects striking the top, front, back, left and right sides of the helmet.

BUILDING ON A TRADITION OF SAFETY, COMFORT & FIT



Chin Strap

4-point attachment to maintain stability and secure fit.
(Cat. # CLMBRSTRP)



Sweatband and Top Comfort Pad

Sweat-wicking and breathable padding materials, provide extra coverage and prevent straps from digging into your head. Replaceable and machine washable.
(Cat. #KHHTOPPAD, and KHHSWTBND)



Pivot Adjustment

Allows user to position the ratchet mechanism to clear bandana knots and pony-tails.



Ratchet Adjustment

Large knob mechanism allows for easy one-hand adjustment, even with gloves on.

Find Quality Products Online at:

www.GlobalTestSupply.com

sales@GlobalTestSupply.com

Klein Tools Safety Helmets build on the same innovative features and attributes of the Klein® Hard Hats with an unwavering focus on **safety, comfort and fit**. With fall protection safety in mind, these helmets with integrated chin straps, have been tested for top, side, front/back impact and penetration. For enhanced side impact protection, these Type-2 helmets feature a lightweight 360-degree EPS foam shell integrated into the rugged outer shell. The helmet's compact and lightweight design allows easy access to confined spaces and makes it ideal for at-height applications.

NON-VENTED CLASS E


Specifically designed for electricians, telecom technicians, tower erectors, windmill technicians and linemen working at height, these non-vented safety helmets are tested up to 20kV of protection.

ACCESSORY MOUNTS

Patented accessory mounts on front and back ensure Klein Headlamps are always positioned properly with **NO STRAP** needed!

VENTED CLASS C

Designed for maximum comfort. These compact vented helmets are built for arborists, general construction, plumbers, and carpenters who work in tight spaces or at-height job sites that don't need electrical protection. Adjustable vents allow to control air flow in both hot and cold weather.




LARGER VENTS = BETTER VENTILATION

The adjustable vents can be opened or closed for maximum air circulation.

KLEIN® HEADLAMPS/ WORK LIGHTS


offer a range of model options to suit most jobsite demands—and will easily mount to every Klein Safety Helmet (or Klein Hard Hat) with **NO STRAP NEEDED!**

(Cat. #56062 shown, included on #60525)



HEARING PROTECTION & FACE SHIELD COMPATIBLE

Universal slots allow attachment of most face shields and hearing protection (#60532 shown)



VISORS





Clear and Gray visors designed specifically for Klein Safety Helmets. Anti-fog, scratch-resistant, 99.9% UV blocking, lightweight with high optical clarity. Locks up and down to stay in place (Cat. #VISORCLR and VISORGRAY)

TYPE 2

KLEIN SAFETY HELMETS

Cat. No.	UPC 0-92644+	Safety Helmet description	Headlamp Model	Class	Type	Shell Color
60564	60564-2	Non-vented	n/a	E	2	White
60525	60525-3	Non-vented with rechargeable headlamp	56062	E		White
60565	60565-9	Vented	n/a	C		White
60526	60526-0	Vented with rechargeable headlamp	56062	C		White
60149	60149-1	Vented	n/a	C	1	White
60150	60150-7	Vented with rechargeable headlamp	56062	C		White
60515	60515-4	KARBNTM Non-vented with rechargeable headlamp	56062	E	1	KARBNTM
60516	60516-1	KARBNTM Vented	n/a	C		KARBNTM
60517	60517-8	KARBNTM Vented with rechargeable headlamp	56062	C		KARBNTM

HEADLAMPS & ACCESSORIES

Cat. No.	UPC 0-92644+	Description	Lumens	Batteries	Battery Life	
56062	56062-0	Rechargeable Headlamp/ Magnetic Worklight	Boost: 300 Spot/High: 215 Flood/Low: 100	Rechargeable, Lithium-ion	Boost: 4 hrs Spot/High: 9 hrs Flood/Low: 14 hrs	
56414	56414-7	Rechargeable 2-Color LED Headlamp	Spotlight: 800/600/300/100 Floodlight: 500/250/100 Red LED-Solid /Strobe	Rechargeable, Lithium-ion	Boost: 4 hrs Flood: 5 hrs LED solid/strobe: 56/160 hrs	
56049	56049-1	Rechargeable Light Array Headlamp/ Magnetic Worklight	High: 260 Low: 125	Rechargeable, Lithium-ion	High: 9 hrs Low: 14 hrs	
56063	56063-7	Rechargeable Safety Lamp w/Magnet	Spotlight: 150 Floodlight: 50	Rechargeable Lithium-ion	4 modes: Solid On (high/low); Pulse (high/low)	

Cat. No.	UPC 0-92644+	Description	Pkg Qty	
CLMBRSPN*	60167-5	Safety Helmet Suspension	1	*Does NOT include top pad and sweatband. All sold separately.
CLMBRSTRP	60168-2	Safety Helmet Chin Strap	1	
KHHSWTBND	60088-3	Suspension Sweatband	3	
KHHTOPPAD	60089-0	Suspension Top Pad	3	
60532	60532-1	Earmuffs for Safety Helmets & Cap Style Hard Hats	1 pair	



CLMBRSPN*
*Shown with top pad and sweatband, all sold separately.



CLMBRSTRP



KHHTOPPAD



KHHSWTBND



VISORCLR



VISORGRAY

VISORS

CAT No.	UPC 0-92644+	Description	Optical Clarity	UV Protection	Anti-fog	Scratch Resistant	ANSI (US)	CSA (Canada)	Military Impact Standards
VISORCLR	60169-9	Clear, detachable half-face visor	Class 1	99.9% UV-A, UV-B, and UV-C per ANSI Z87.1 U6	Yes	Yes	Z87.1+ 2020 (High Impact rated)	Z94.3-20	MIL-PRF-32432A-Class 1 (Clause 3.8.4.1) -Ballistics fragmentation
VISORGRAY	60170-5	Tinted Gray, detachable half-face visor							



TYPE 1



For Professionals
SINCE 1857™



Find Quality Products Online at:

www.GlobalTestSupply.com

sales@GlobalTestSupply.com