WX1011N

1-Channel Soldering Station, 200 W Product no.: WX1011N





Benefits

- High Powered Digital Soldering Stations WX 1
- > Capacitive glass touch screen is chemical and temperature resistant
- > Turn and click wheel with enter key and finger guide is intuitive to use
- Multi-language menu, ready for automation using RS232 Serial I/O commands
- Large graphic LCD display can be viewed from all angles
- Acts as a benchtop controller for the WHP 1000 / WHP 3000 hot plates
- Acts as a benchtop controller for the Zero Smog 4V / 6V Filtration units
- Multi-purpose USB port for parameter configuration and DATA LOGGING
- Compatible with all WX series soldering pencils
- Compatible with WXMT-MS desoldering tweezers



Dimensions L x W x H (mm)	170 x 151 x 130
Dimensions L x W x H (inches)	6, 69 x 5, 94 x 5, 12
Weight (approx.) in kg	3.2
Voltage	120 V
Power	200 W
Channels	1
Temperature range (depends on tool) °C	100 - 550
Temperature range (depends on tool) °F	200 - 999
Temperature accuracy °C	±9
Temperature accuracy °F	±17
Temperature stability °C	±2
Temperature stability °F	±4
Equipotential bonding socket	Via 3, 5 mm pawl socket on back of device
Display	255 x 128 dots / Backlighting
Air consumption l/min	
Operating pressure in bar/psi	
Capacity l/min	
Vacuum	